

## Korleski, Christopher

---

**From:** philip@crowleyengineering.com  
**Sent:** Friday, December 09, 2016 4:27 PM  
**To:** Korleski, Christopher  
**Cc:** diana@crowleyengineering.com  
**Subject:** RE: Revised Draft Script and FAQs

Ok, thanks Chris. We appreciate you getting back to us.

---

**From:** Korleski, Christopher [mailto:korleski.christopher@epa.gov]  
**Sent:** Friday, December 9, 2016 4:24 PM  
**To:** philip@crowleyengineering.com; diana@crowleyengineering.com  
**Cc:** Rowan, Anne <rowan.anne@epa.gov>; Cassell, Peter <cassell.peter@epa.gov>; Henry, Timothy <henry.timothy@epa.gov>; Poy, Thomas <poy.thomas@epa.gov>; Bair, Rita <bair.rita@epa.gov>; Deltoral, Miguel <deltoral.miguel@epa.gov>; Kaplan, Robert <kaplan.robert@epa.gov>; Grantham, Nancy <Grantham.Nancy@epa.gov>; Bassler, Rachel <Bassler.Rachel@epa.gov>; 'Crowley Engineering' <crowley@eastchicago.com>; 'Carla Morgan' <cmorgan@eastchicago.com>; 'Hollingsworth, Mary' <MHolling@idem.IN.gov>  
**Subject:** RE: Revised Draft Script and FAQs

Dear Phillip and Diane:

Sorry for getting back to you so late, but it's been quite a day.

Region 5 has taken a look at your proposed revisions. Although we do not have approval from our HQ on the FAQ (with or without your revisions) and therefore cannot consider it a final EPA document, Region 5 does not think your proposed revisions are unreasonable, and we think it appropriate to give deference to the City's technical judgment on the suggested revisions. Consequently, we have no concerns with the City posting the document you provided to us (including your revisions) as long as the City does not indicate that the posted FAQ is a final EPA approved document, has an EPA logo, etc. That way, you will be able to satisfy your concern of having something up on your website that will be responsive to Qs.

Thanks.

Chris

---

Chris Korleski  
Director, Water Division, Region 5  
U.S. Environmental Protection Agency  
77 W. Jackson Blvd. (W-15J)  
Chicago, IL 60604  
312 886-1432 (Liz Rosado, Assistant)  
312 353-5498 (General Office Number)  
[korleski.christopher@epa.gov](mailto:korleski.christopher@epa.gov)

---

**From:** philip@crowleyengineering.com [mailto:philip@crowleyengineering.com]  
**Sent:** Friday, December 09, 2016 12:10 PM  
**To:** Korleski, Christopher <korleski.christopher@epa.gov>

